

Material Safety Data Sheet

Completed 18-12-2023
Revision: (date) 19-02-2024
SDS version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: eTCP Touch-Up Pen
Product- no.: -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Surface treatment.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

Ditrimex ApS
Sverigesvej 9
DK-8700 Horsens
+45 2672 2288

Contact person and E-mail:

info@ditrimex.com

The Safety data sheet is completed and validated by:

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: MKH

1.4. Emergency telephone number

Use your national or local emergency number - For "First aid measures" see section 4.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not subject to labelling under CLP Regulation No. 1272/2008.

2.2. Label elements

-

Signal word:

-

Contains Chromium Hydroxide Sulphate. May produce an allergic reaction. (EUH 208)

2.3. Other hazards

-

Additional labelling:

-

Additional warnings

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Chromium Hydroxide Sulphate	- / 01-2120761005-64-xxxx	12336-95-7	235-595-8	Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Aquatic Chronic 3;H412	< 1	-
Potassium hexafluorozirconate	- / 01-2119978269-18-xxxx	16923-95-8	240-985-6	Acute Tox. 3;H301, Eye Dam. 1;H318	< 1	-

See full text of H-phrases in section 16.

Material Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

In case of discomfort: Seek fresh air.
Seek medical advice in case of persistent discomfort.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Seek medical advice in case of discomfort.

Skin contact:

Remove contaminated clothing.
Wash the skin thoroughly with water and continue washing for a long time.
Seek medical advice in case of discomfort.

Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:
Extinguish with powder, foam, carbon dioxide or water mist.
Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.
Hazardous fumes are formed in fire conditions.
Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.
Fire fighters should wear appropriate protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.
Avoid contact with skin and eyes.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.
Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment.
See section 13 for instructions on disposal.

Material Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

Keep in tightly closed original packaging.

Store in a dry, cool, well-ventilated area.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit value (IOELV)

Substance	exposure limit mg/m ³ / ppm	exposure limit mg/m ³ / ppm	Note
Chromium Metal, Inorganic Chromium(II) Compounds and Inorganic Chromium(III) Compounds (insoluble)	2 / -	- / -	-
Fluor	1,58 / 1	3,16 / 2	-

DNEL/PNEC-values:

DNEL Chromium hydroxide sulphate

	Workers	Consumers
Oral - Chronic Systemic	-	150 µg/kg bw/day

DNEL Dipotassium hexafluorozirconate

	Workers	Consumers
Inhalation - Chronic Systemic	6,2 mg/m ³	-
Inhalation - Acute Systemic	6,2 mg/m ³	-
Inhalation - Chronic Local	6,2 mg/m ³	-
Dermal - Chronic Systemic	89 mg/kg bw/day	44,5 mg/kg bw/day
Dermal - Acute Systemic	89 mg/kg bw/day	44,5 mg/kg bw/day

PNEC Chromium hydroxide sulphate

Fresh water	60 µg/L
Intermittent releases (Fresh water)	60 µg/L
Marine water	6 µg/L
Intermittent releases (Marine water)	6 µg/L

PNEC Dipotassium hexafluorozirconate

Fresh water	0,163 mg/L
Intermittent releases (Fresh water)	0,107 mg/L
Marine water	0,163 mg/L
Soil	22,5 mg/kg soil dw

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Wash hands before breaks, before using restroom facilities, and at the end of work.

Personal protective equipment:



Respiratory protection:

Generally not required.

Hand protection:

Wear protective gloves made of nitrile rubber (> 0,11 mm). Protective gloves conforming to EN 374.

Penetration time: > 120 min

Material Safety Data Sheet

Eye/face protection:

Generally not required.

Skin protection:

Generally not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Dark violet
Odour:	Mild
Melting point/ Freezing Point (°C):	0 (32 °F)
Boiling point or initial boiling point and boiling range (°C):	> 100 °C (> 212 °F) 760 mmHg
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	2,5 - 3,5
Kinematic viscosity (mm ² /s):	-
Solubility:	Soluble in water
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	< 1,0 mmHg
Density and/or relative density:	1,02 g/cm ³ (8,50 lb/gal)
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Avoid contact with strong oxidising agents.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity:**

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Chromium Hydroxide Sulphate	Oral	Rat	LD50	> 5000 mg/kg bw
Potassium hexafluorozirconate	Oral	Rat	LD50	> 25 - < 200 mg/kg bw

Material Safety Data Sheet

Skin corrosion/irritation:

May irritate the skin – may cause reddening.

Serious eye damage/irritation:

May cause eye irritation.

Respiratory or skin sensitisation:

Contains Chromium Hydroxide Sulphate. May produce an allergic reaction.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
Chromium Hydroxide Sulphate	96 Hours	Fish	LC50	97,7 mg/L
Chromium Hydroxide Sulphate	48 Hours	Daphnia	EC50	~ 16,8 mg/L
Chromium Hydroxide Sulphate	96 Hours	Algae	EC50	0,3 mg/L
Potassium hexafluorozirconate	96 Hours	Fish	LC50	172,4 mg/L
Potassium hexafluorozirconate	48 Hours	Daphnia	EC50	151,4 mg/L
Potassium hexafluorozirconate	72 Hours	Algae	EC50	1,03 mg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data.	-	-	-

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
No data.	-	-

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

Material Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
11 01 99	Wastes not otherwise specified

Specific labelling:

-

Contaminated packaging:

Uncleansed packaging is to be disposed of via the local waste-removal scheme.

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

Commission Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, EU 2017/164 and EU 2019/1831 (the first, second, third, fourth and fifth IOELV Directives).

Additional labelling:

-

Restrictions for application:

-

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

EU regulation no. 276/2010

Directive 2008/98/EC

ECHA - The European Chemicals Agency

Material Safety Data Sheet

Full text of H-phrases as mentioned in section 2+3:

H301	Toxic if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
EUH 208	Contains Chromium Hydroxide Sulphate. May produce an allergic reaction.

Classification according to Regulation (EC) Nr. 1272/2008:

-

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

New supplier information.

This material safety data sheet replaces version:

1.0